



MATERIAL SAFETY DATA SHEET

PLATINUM AA STANDARD

1. Chemical Product and Company information.

Product name: Platinum AA Standard

Contact Information:

Radchem cc
PO Box 166982
Brackendowns
Alberton 1454
Telephone : **011 867 3726 / 2864**

2. Hazard Identification

Hazardous in case of ingestion, of inhalation. Slightly hazardous in case of skin contact (corrosive, irritant, permeator), of eye contact (irritant). Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath.

3. Composition / information on ingredients

CAS #: Mixture

Synonym:

Chemical Name: Not applicable

Chemical Formula: Not applicable

4. First Aid Measures

Eye Contact: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical attention.

Skin Contact: After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cold water may be used. Cover the irritated skin with an emollient. If irritation persists, seek medical attention.

Serious Skin Contact: Not available

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.



Serious Inhalation: Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. **WARNING:** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention.

Ingestion: Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Serious Ingestion: Not available.

5. Fire-fighting measures

Flammability of the Product: Non-flammable

Fire Hazards in Presence of Various Substances: Not applicable

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions: Not applicable

Special Remarks on Fire Hazards: Not applicable

Special Remarks on Explosion Hazards: Not applicable

6. Accidental release measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate.

Large Spill: Corrosive liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapour drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of sodium carbonate. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

7. Handling and storage

Precautions: Keep container dry. Do not ingest. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin. Never add water to this product. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. May corrode metallic surfaces. Store in a metallic or coated fibreboard drum using a strong polyethylene inner package.

Storage: May corrode metallic surfaces. Store in a metallic or coated fibreboard drum using a strong polyethylene inner package. Corrosive materials should be stored in a separate safety storage cabinet or room.

8. Exposure controls/personal protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Face shield. Full suit. Vapour respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.



Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Vapour respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

9. Physical and chemical properties

Physical state and appearance: Liquid

Odour: Not available

Taste: Not available

Colour: Not available

Boiling Point: The lowest known value is 100°C (Water)

Melting Point: Not available

Critical Temperature: Not available

Specific Gravity: Weighted average: 1 (Water = 1)

Vapour Density: The highest known value is 0.62 (Air = 1) (Water)

Volatility: Not available

Odour Threshold: Not available

Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water, methanol

Solubility: Easily soluble in cold water. Soluble in hot water, methanol.

10. Stability and reactivity

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Not available

Incompatibility with various substances: Slightly reactive to reactive with metals, alkalis

Corrosivity: Corrosive in presence of steel, of aluminium, of copper. Non-corrosive in presence of glass.

Special Remarks on Reactivity: Reacts violently with water especially when water is added to the product. (Hydrogen chloride)

Special Remarks on Corrosivity: Highly corrosive. Incompatible with copper alloys. (Hydrogen chloride)

Polymerization: Will not occur.

11. Toxicological information

Routes of Entry: Inhalation. Ingestion

Toxicity to Animals: WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute toxicity of the vapour (LC50): 140721 ppm 4 hour(s) (Rat) (Calculated value for the mixture).

Chronic Effects on Humans: The substance is toxic to lungs, mucous membranes



Other Toxic Effects on Humans: Hazardous in case of ingestion, of inhalation. Slightly hazardous in case of skin contact (corrosive, irritant, permeator).

Special Remarks on Toxicity to Animals: Not available

Special Remarks on Chronic Effects on Humans: Not available

Special Remarks on other Toxic Effects on Humans: Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract. (Hydrogen chloride)

12. Ecological information

Ecotoxicity: Not available

BOD5 and COD: Not available

Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are more toxic

Special Remarks on the Products of Biodegradation: Not available

13. Disposal considerations

Waste Disposal: Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14. Transport information

DOT Classification: CLASS 8: Corrosive liquid

Identification: : Hydrochloric acid, solution : UN1789 PG: II

Special Provisions for Transport: Not applicable

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Radchem CC. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Radchem CC has been advised of the possibility of such damages.

