

CONTACT
0800 990 3258
enquiries@reagent.co.uk



ReAgent

POTASSIUM HYDROXIDE PELLETS LRG MSDS

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	POTASSIUM HYDROXIDE PELLETS LRG
CAS-No.	1310-58-3
EU INDEX NO.	019-002-00-8
EC No.	215-181-3
SUPPLIER	Reagent Chemical Services 18 Aston Fields Road Whitehouse Industrial Estate Runcorn Cheshire WA7 3DL T: 01928 716903 F: 01928 716425 E: info@reagent.co.uk
PRODUCT NO.	1494
APPLICATION	General chemical reagent

2 HAZARDS IDENTIFICATION

Harmful if swallowed. Causes severe burns.

CLASSIFICATION (67/548) -

3 COMPOSITION/INFORMATION ON INGREDIENTS

EU INDEX NO.	019-002-00-8
EC No.	215-181-3
CAS-No.	1310-58-3

4 FIRST-AID MEASURES

INHALATION

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.

INGESTION

Immediately rinse mouth and drink plenty of water. Get medical attention immediately!

SKIN CONTACT

Immediately remove contaminated clothing. Rinse the skin immediately with lots of water. Get medical attention immediately.

EYE CONTACT

May cause permanent damage if eye is not immediately irrigated. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

SPILL CLEAN UP METHODS

Avoid dust formation. Transfer to a container for disposal. Wash contaminated area with water.

7 HANDLING AND STORAGE

POTASSIUM HYDROXIDE PELLETS LRG**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry and cool place.

STORAGE CLASS

Corrosive storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs	STEL - 15 min	Notes
POTASSIUM HYDROXIDE PELLETS LRG	OES		2 mg/m ³	

ENGINEERING MEASURES

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined workplace exposure limit (WEL) is not exceeded.

RESPIRATORY EQUIPMENT

In case of inadequate ventilation use suitable respirator.

HAND PROTECTION

Wear protective gloves. Rubber or plastic

EYE PROTECTION

Wear approved safety goggles.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Pellets		
COLOUR	Colourless to White		
ODOUR	Odourless		
SOLUBILITY	Soluble in water.		
BOILING POINT (°C)	1320	MELTING POINT (°C)	360
RELATIVE DENSITY	2.0	pH-VALUE, DILUTED SOLUTION	14.5

10 STABILITY AND REACTIVITY**STABILITY**

Air and moisture sensitive.

CONDITIONS TO AVOID

Reacts strongly with water.

MATERIALS TO AVOID

Light metals (Formation of hydrogen). Alkali earth metals. Hydrocarbons - halogenated. Organic nitro compounds. Hydrocarbons. Acid anhydrides. Strong acids. Ammonium compounds (Formation of ammonia).

11 TOXICOLOGICAL INFORMATION

TOXIC DOSE 1 - LD 50 273 mg/kg (oral rat)

INHALATION

Burns to mucous membranes.

INGESTION

Causes severe internal damage if swallowed.

SKIN CONTACT

Causes burns.

EYE CONTACT

Strongly corrosive. Causes severe burns and serious eye damage. Immediate first aid is imperative.

12 ECOLOGICAL INFORMATION

POTASSIUM HYDROXIDE PELLETS LRG

ECOTOXICITY

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

UK ROAD CLASS	8		
PROPER SHIPPING NAME	POTASSIUM HYDROXIDE SOLID		
UN NO. ROAD	1813	UK ROAD PACK GR.	II
ADR CLASS NO.	8	ADR CLASS	Class 8: Corrosive substances.
ADR PACK GROUP	II	ADR LABEL NO.	8
HAZCHEM CODE	2X	CEFIC TEC(R) NO.	80GC6-II+III
RID CLASS NO.	8	RID PACK GROUP	II
UN NO. SEA	1813	IMDG CLASS	8
IMDG PAGE NO.	8	IMDG PACK GR.	II
EMS	F-A, S-B	MFAG	See Guide
MARINE POLLUTANT	No.	UN NO. AIR	1813
AIR CLASS	8	AIR PACK GR.	II

15 REGULATORY INFORMATION

LABELLING



Corrosive

RISK PHRASES

R22	Harmful if swallowed.
R35	Causes severe burns.

SAFETY PHRASES

S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45	In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
S1/2	Keep locked up and out of the reach of children.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply. COSHH essentials: Easy steps to control chemicals. Control of Substances Hazardous to Health Regulations.

GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37.

NATIONAL REGULATIONS

Control of Substances Hazardous to Health Regulations 2002 (as amended)

16 OTHER INFORMATION

GENERAL INFORMATION

Under REACH Material Safety Datasheets (MSDS) are referred to as Safety Datasheets (SDS).

REVISION DATE: May 2004

POTASSIUM HYDROXIDE PELLETS LRG

REVISION COMMENTS

General rewrite

REVISION DATE

May 2004

REV. NO./REPL. SDS GENERATED Supercedes issue November 2001

SDS NO.

20460